

Interactive Python Widget for Correcting WRF-Hydro Input Grids

Nicholas Elmer^{1,2} and Andrew Molthan^{1,3}

¹NASA Short-term Prediction Research and Transition (SPoRT) Center, Huntsville, Ala.


²Department of Atmospheric Science, University of Alabama in Huntsville,
Huntsville, Ala.

³Earth Science Office, NASA MSFC, Huntsville, Ala.

January 23, 2017
**Seventh Symposium on Advances in Modeling
and Analysis using Python**
97th AMS Annual Meeting, Seattle, Wash.




WRF-Hydro System




(NCAR 2017)

- WRF-Hydro (Gochis et al. 2013) is WRF hydrological extension package
- Run in uncoupled or coupled mode
- Contains column land surface, terrain routing, and channel routing modules
- Supports multi-scale domains, so each module may require input grids at different spatial resolutions



WRF-Hydro GIS Preprocessing Tool


- Derives WRF-Hydro terrain routing and channel routing grids using ArcGIS hydrology tools
- Channel routing grids include channel grid and lake grid.
- Inputs:
 - WRF Preprocessing System (WPS) GEOGRID file
 - High-resolution Digital Elevation Model (DEM)
- NCAR working to make tool 100% open-source Python
- Preprocessing Tool Documentation: Sampson and Gochis 2015




Screen capture of WRF-Hydro GIS Preprocessing Tool within ArcGIS

WRF-Hydro GIS Preprocessing Tool

- Channel grid derived from high-resolution DEM




WRF-Hydro GIS Preprocessing Tool



- Channel grid derived from high-resolution DEM
- Insert reservoirs/lakes using lake shapefile



WRF-Hydro GIS Preprocessing Tool



- Channel grid derived from high-resolution DEM
- Insert reservoirs/lakes using lake shapefile
- Lake polygon rasterized to mask channel grid
- Lakes numbered 1 to n
- Stream artifacts may result

WRF-Hydro GIS Preprocessing Tool

- Preprocessing Tool does not remove stream artifacts
- Stream artifacts must be removed prior to running WRF-Hydro
 - Straightforward, programmatic method not available
 - Can be done interactively in Python using TkInter module



SPoRT

TkInter – A Python Graphical User Interface

- Provides basic Graphical User Interface (GUI) within Python
- Contains classes which allow display, positioning, and control of widgets
- Wrapper functions for Tcl/Tk
- Importing TkInter

```
import sys
if sys.version_info[0] < 3:
    from Tkinter import *
else:
    from tkinter import *
```

- Online documentation and resources:
 - <https://wiki.python.org/moin/TkInter>
 - <http://tkinter.unpythonic.net/wiki/>
 - <http://infohost.nmt.edu/tcc/help/pubs/tkinter/tkinter.pdf>

TkInter Widgets

Button
Canvas
Checkbutton
Entry
Frame
Label
LabelFrame
Listbox
OptionMenu
PanedWindow
Radiobutton
Scale
Scrollbar
Spinbox
Text
Tk
Toplevel



Applying TkInter – Interactive Python Widget

```
from Tkinter import *
class Tool(object):
    def _save(self):
        :
    def _quit(self, *kwargs):
        :
    def plot_subset(self, *kwargs):
        :
    def key(self, event):
        :
    def click(self, event):
        :
    def __init__(self, master, path,
                 :

def main(path, *kwargs):
    root = Tk()
    tool = Tool(root, path, *kwargs)
    root.mainloop()

if __name__ == '__main__':
    #define parameters here
    path = "....."
    main(path, *kwargs)
```

```
def __init__(self, master, path, *kwargs):
    self.master = master
    #set up figure
    self.fig = mplfig.Figure()
    self.ax2 = self.fig.add_subplot(121)
    self.ax1 = self.fig.add_subplot(122)
    self.canvas = FigureCanvasTkAgg( \
        self.fig, master=self.master)


    #define event connections
    self.cid = self.canvas.mpl_connect( \
        'button_press_event', self.click)
    self.kid = self.canvas.mpl_connect( \
        'key_press_event', self.key)
    quit_but = Button(master=self.master, \
                      text='Quit', command=self._quit)
    quit_but.pack(side=BOTTOM)

    #add event connections to canvas
    self.canvas.get_tk_widget().pack()

    #read WRF-Hydro input netCDF files here
    self.plot_subset(*kwargs)
```



Interactive Python Widget



Interactive Python Widget

```
class Tool(object):
    def __init__(self):
        :
    def _quit(self, *kwargs):
        :
    def plot_subset(self, *kwargs):
        :
    def key(self, event):
        :
    def click(self, event):
        :
    def __init__(self, master, path,
                 ):
        :
def main(path, *kwargs):
    root = Tk()
    tool = Tool(root, path, *kwargs)
    root.mainloop()

if __name__ == '__main__':
    #define parameters here
    path = "....."
    main(path, *kwargs)
```

```
def __init__(self, *kwargs):
    self._save()
    #disconnect event connections
    self.fig.canvas.mpl_disconnect(self.cid)
    self.fig.canvas.mpl_disconnect(self.kid)
    self.master.quit()      # stops mainloop
    self.master.destroy()   # this is necessary
    return
```


```
def key(self, event):
    if event.key == 'q': # quit
        self._quit()
    elif event.key == 's': # save
        self._save()
    elif event.key == 'up' or event.key == 'down' \
        or event.key == 'left' \
        or event.key == 'right' : # pan
        :
    elif event.key == 'z': # zoom
        :
    else: print 'The %s key does nothing...' \
        %repr(event.key)
    return
```

```
def click(self, event):
    if event.button == 1:
        print event.xdata, event.ydata
        :
    elif event.button == 2:
        :
    else: print 'Try Again...'
    return
```




SPORT

Interactive Python Widget





Next, Back




Zoom



Pan




Save





Quit




Interactive Python Widget





Lake Catoma, Ala. (Google Maps)



Interactive Python Widget




Lake Catoma, Ala. (Google Maps)



Interactive Python Widget

- Stream artifacts removed, resulting in continuous channel/lake grid
- Widget saves updated channel and lake grids for use in WRF-Hydro
- Process only takes a few minutes



Summary

- TkInter is standard Python GUI package
- For many applications requiring array manipulations, programmatic methods using Python or netCDF operators (NCO) are preferred
- However, TkInter widgets can be beneficial when a straightforward, programmatic methods are not available, thereby requiring manual modifications
- Interactive Python Widget
 - Modifies grids created by WRF-Hydro GIS Preprocessing Tool
 - Independent of ArcGIS; 100% open-source Python
 - Enables array to be visualized and modified concurrently
 - Can be extended/modified for many other applications



Nicholas Elmer
nicholas.j.elmer@nasa.gov

NASA SPoRT

Webpage: <http://weather.msfc.nasa.gov/sport/>

Blog: <https://nasasport.wordpress.com/>

Facebook: NASA SPoRT Center

Twitter: @NASA_SPoRT

References

- Gochis, D., W. Yu, and D. Yates, 2013: The NCAR WRF-Hydro technical description and user's guide: version 1.0, 120 pp.,
http://www.ral.ucar.edu/projects/wrf_hydro/images/WRF_Hydro_Technical_Description_and%20User_Guide_v1.0.pdf.
- NCAR, 2017: WRF-Hydro Modeling System. Research Applications Library,
https://www.ral.ucar.edu/sites/default/files/public/projects/wrf_hydro/.
- Sampson, K., and D. Gochis, 2015: WRF Hydro GIS Pre-Processing Tools: Version 2.2 Documentation. National Center for Atmospheric Research, Research Applications Laboratory, Boulder, Colo., 39 pp.
- Shipman, J. W., 2013: Tkinter 8.5 reference: a GUI for Python. New Mexico Tech Computer Center, 168 pp.,
<http://infohost.nmt.edu/tcc/help/pubs/tkinter/tkinter.pdf>.

